



# Soils Map



Soils data provided by USDA and NRCS.



State: **Indiana**  
 County: **Carroll**  
 Location: **13-25N-2W**  
 Township: **Deer Creek**  
 Acres: **134.22**  
 Date: **7/17/2025**



**HALDERMAN**  
REAL ESTATE & FARM MANAGEMENT

Maps Provided By:  
 **surety**<sup>®</sup>  
CUSTOMIZED ONLINE MAPPING  
© AgriData, Inc. 2023 [www.AgriDataInc.com](http://www.AgriDataInc.com)



Area Symbol: IN015, Soil Area Version: 29								
Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Corn Bu	Soybeans Bu	*n NCCPI Overall
MdB2	Martinsville, till substratum-Miami loams, 2 to 6 percent slopes, eroded	42.50	31.5%		IIe	135	47	79
FbB	Fincastle-Starks silt loams, 1 to 3 percent slopes	28.67	21.4%		IIe	158	52	85
WvB2	Williamstown silt loam, 2 to 6 percent slopes, eroded	12.74	9.5%		IIe	142	48	66
CwB	Crosby-Fincastle silt loams, 1 to 3 percent slopes	12.71	9.5%		IIe	140	46	76
RrB2	Rockfield-Williamstown complex, 1 to 6 percent slopes, eroded	12.43	9.3%		IIe	133	47	72
So	Sloan silt loam, occasionally flooded	8.33	6.2%		IIIw	155	42	80
Cz	Cyclone silty clay loam, 0 to 2 percent slopes	7.42	5.5%		IIw	185	65	87
MfC3	Martinsville, till substratum-Miami clay loams, 6 to 12 percent slopes, severely eroded	5.05	3.8%		IVe	121	43	68
RoA	Rockfield silt loam, 0 to 2 percent slopes	3.73	2.8%		I	145	51	87
Wk	Washtenaw silt loam	0.64	0.5%		IIw	165	49	74
Weighted Average						2.11	144.8	48.7
*n 78.4								

\*n: The aggregation method is "Weighted Average using all components"

\*c: Using Capabilities Class Dominant Condition Aggregation Method